

# AC 66

Cummins  
Mecc Alte  
P 602



ISO8528

GC ; ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#( #

ž) \$' ž' \$ž' D:

	"	kw	"	kw	Amp
400/230	66,00	52,80	60,00	48,00	87,00

fPQDE

GC ; ) &

) & ž

fDF DE

%\$!

%

%&

GC " \$(\*\*

ž&(

GC

## ALTERNATOR

## TRANSFER SWITCH

# AC 66

Cummins  
Mecc Alte  
P 602

1

Manufacturer		Cummins		
Model		S3,8-G7		
		% \$ \$	"# "	
		64,90 kw [87,00HP]		
	L	3,800		
	"	97 x 128		
		17,5:1		
	fl # 7	"# "	1500	
	fl 7	L	11,00	
		L	16,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	4,62		
	' # "	116,00		
	' # "	4,88		
	° C	509,00		
		12 V d.c.		
	Load	% \$ \$	'+)	) \$
	# "			
		14,70	11,00	6,10

2

		Mecc Alte		
		ECO 32-2L/4		
	Hz	50		
	"	63,00		
7 cg		0,80		
		3		
	fl 7	400/230		
Temperature		H		

3

		fl 7		fl 7	
	"	"	"	"	L
AC 66	950,00	2150,00	1050,00	1446,00	240,00
		fl 7		fl 7	
	"	"	"	"	L
AK 40	1300,00	3100	1113	1741	240

# AC 66

Cummins  
Mecc Alte  
P 602

## 1 D \* \$ & !'



- 1 A U]b'gHh'g'X]gd'Um'
- 2 8]gd'UmgWc''Vi Hrcb''
- 3 DU[ Yf]bZcfa U]cbk'Vi Hrcb''
- 4 7ca a cb U'Ufa ']bX]W]rcf''
- 5 GHh'g'@98fj''
- 6 C dYfU]cb'gY'YV]b[ 'Vi Hrcbg''

### 2

8G9za cXY''\$&\$'5i hc' A U]bg': U]i fy V'ebfc''a cXi 'Y''  
6UHYfmWUf[ Yf]bdi h%, !&\* ( j c'h'zci hdi h''&+Z' J ) '5'f&( J Ecf'% z' J c'h) 5'f%&J k  
9a Yf[ YbW]hrcd' di g\ 'Vi Hrcb'UbX'Z] gYg'Zc'fV'ebfc''V]fW ]jg''

### 3

7ca dcbYbrg ]bghU''YX ]b'g\YYhg'HY''YbWcgi fy''D\cgd\UfY'WYa ]W]zdfY!V'U]b[ 'cZghYY''dfcj ]XYg V'ffcg]cb  
fYg]ghbhgi fZUW''Dc'mYgYfV'ta dcg]Y' dck XYf'rcdV'U]hZcfa g\ \ [ 'cgg'UbX'YI HfYa Y'mXi fUV'Y Z]b]g\''@cW]UV'Y  
UbX'\]b[ YX'dUbY'Xccf'dfcj ]XYg YUgmUWV]gg'hc''V'ta dcbYbrg''

### 4

'7cbfc''dUbY''J]g'a ci bHYX'cb VUgYZUa Y'k ]h' ghY''g'UbX''@cW]HYX'U]h'Y'f] \ h]g]XY'cZ]h'Y [ YbYfU]rcf'gYhfK \ Yb'nci  
'cc\_ U]h'Y'; Yb''GYH'Z]ca '5'fYfbU]rcf'

### 5

H\Y''8G9''\$&\$'J]g'U'ghUbXUfX V'ebfc''a cXi 'Y'Zc'f'ci f[ YbYfU]rcf'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug'VYb'XYg][ bYX'hc  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfU]rcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYb'XYg][ bYX'hc'a cb]rcf[ YbYfU]rcf  
Z]Yei YbW]z] c'iz'W'fYb]z'Yb[ ]b'Y'c' d'fYggi fy'Z'V'c'Ubh'fYa dYfU]h'fy''fi bb]b[ \ci fg'UbX'VU]HYfmj'c'fj''A cXi 'Y  
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbX'gk ]h'W'c] Yf'hc'h'Y [ YbYfU]rcf'k \ Yb'h'Y'a U]bg'dck Yf'Z]g''H\Y'8G9''\$&\$'U'gc  
]bX]W]HY'g'cdYfU]cbU'ghU'g'UbX'Z]i 'h'V'ebX]h]cbg'z'5i hca U]h'W'm]g\i h]b[ 'Xck b'h'Y'; Yb''GYhUbX'[ ] ]b[ 'f'i Y'Z]fghi d  
Z]i 'h'V'ebX]h]cb'cZ'; Yb''GYhZ]j'i fy''H\Y'@78'X]gd'Um]bX]W]HY'g'h'Y'Z]i 'h'

A ]W'cd'fc'W'ggcf'V'ebfc''YX''

@78'X]gd'Uma U\_Yg ]bZcfa U]cb'YUgmhc'fYUX''

(!'j]bYz\*( 1 '% &d] ]Y'X]gd'Um'

5i hca U]h'W'm]f]Ub]gZ]f'g'VYk'YYb'a U]bg'fi h]h'm]UbX'[ YbYfU]rcf'dck Yf''

A Ubi U'dfc[ fUa a ]b[ 'cb'Z'cbhdUbY''

I'gYf]Z]YbX'm]gYh'i d'UbX'Vi Hrcb''U]nci' h'

F Ya ch'Y'ghU]f'h'

9j Ybh'c[ [ ]b[ 'f] h]g\ck ]b[ 'XUfY'UbX'h]a Y''

7cbfc'g' Ghcd# YgYhZ'A Ubi U'Z'5i hc'Z'HYg]h]GHU]f]z'Vi Hrcbg''5b'UXX]h]cbU'di g\ Vi Hrcb'bYI hrc'h'Y '@78'X]gd'Um]g]

i gYX'hc'g]W'c''h'f'ci [ \ h'Y'a cXi 'Y'gfa YH'f]b[ 'X]gd'Umg''

# AC 66

Cummins  
Mecc Alte  
P 602

9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUV'Y hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i ffYbhf@&!@ E"  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn"  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn"  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[ Y Z]i fY"  
6UHYfm@ck #:[ \ ] c' hU[ Y"  
: U] h' ghcd"  
@ck #:[ \ ] [ YbYfUhc'f j c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] h' ghUf"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f j c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f j YfW ffYbh"


: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z  
dfYggi fY'Z dYfVW'bhU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f'dE  
@c'W'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7 h'  
V'c'UbhY'a cXi 'Y k ]h' I G6 V'c'UbhY'a dYfUhi fY'gYbgcf'cdYb

9'YVW'VW' GUZYhm#9A 7 V'c'UbhY'a dUfU]h]m6G'9B \*\$-) \$  
9'YVW'VW' Vi g]bYgg'Yei ]da Ybh  
6G'9B \*\$!\*\$!&9A 7 ]a a i b]mighUbxUfX"  
6G'9B \*\$!\*\$!\*( '9A 7 Ya ]gg]cb'ghUbxUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' gk ]h'W]b[ !a cXY'UbX'GA 8 fYV'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VW'VW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z' ]'Zcf'%&j'c'hUbX'&+Z' ]'Zcf'&'( ]'  
#bdi h% , ' !&\* ( j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchV'VW]cb'UbX'ihVWb'VY'i gYX'Ug'U'VW'ffYbhgci fVW"  
Dfc]bY'&(\$) #&(\$) VUf[ Yf\Ug\ ] [ \ YZ]VW'VW'cb[ " ]Z'Z'ck ZU]i fY'fUfY'Z' ] [ \ hk Y] [ \ hUbX'ck \YUhfUX]UfYX ]b  
UWV'cfXUbW'k ]h' ]'bYUf'U'fY'fbU]h'j Yg' H\Y'VUf[ Yf ]g'Z]h'YX'k ]h' U'dfchV'VW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
fY'UmV'c] VY'hk Y'Yb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc'fYXi V'Y'VW'VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX ]bdi hUbX'ci hdi h]m]VW'm(\_J'Zcf'\ ] [ \ fY' ]UV] ]m"

# AC 66

Cummins  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1113
fl "L	"	3100
fl "L	"	1741
	L	240